



Preparation and Antimicrobial Activity of Zinc Oxide Nanoparticles (*Abies webbiana*) Based Mouthwash

Prabhav Kumar Iyer^a, M. Jeevitha^{b*}, S. Rajeshkumar^c and Selvaraj Jeyaraman^d

^a Saveetha Dental College and Hospitals, Saveetha Institute of Medical and Technical Sciences, Saveetha University, Chennai- 600077, Tamil Nadu, India.

^b Department of Periodontics, Saveetha Dental College and Hospitals, Saveetha Institute of Medical and Technical Sciences, Saveetha University, Chennai- 600077, Tamil Nadu, India.

^c Department of Pharmacology, Saveetha Dental College and Hospitals, Saveetha Institute of Medical and technical Sciences, Saveetha University, Chennai-600077, Tamil Nadu, India.

^d Department of Biochemistry, Saveetha Dental college and Hospitals, Saveetha Institute of Medical and Technical Sciences, Saveetha University, Chennai -600077, Tamil Nadu, India.

Authors' contributions

This work was carried out in collaboration among all authors. All authors read and approved the final manuscript.

Article Information

DOI: 10.9734/JPRI/2021/v33i62B35167

Open Peer Review History:

This journal follows the Advanced Open Peer Review policy. Identity of the Reviewers, Editor(s) and additional Reviewers, peer review comments, different versions of the manuscript, comments of the editors, etc are available here: <https://www.sdiarticle5.com/review-history/78801>

Short Research Article

Received 22 October 2021
Accepted 28 December 2021
Published 29 December 2021

ABSTRACT

Introduction: Nanotechnology has been taking the scientific community by storm as they have been showing promising results due to their antibacterial, antifungal and cytotoxic activity. Multiple studies have found various plant species to be a rich source of these nanoparticles. *Abies webbiana* is one of these plants, however, it has not been studied enough. The aim of this study is to synthesize zinc oxide nanoparticles from *a. Webbiana* plant extract and to test its antimicrobial activity against certain microorganisms.

Materials and Methods: 1 g of *a. Webbiana* was mixed with 100 ml of distilled water and boiled for 15 minutes to 60°C in a heating mantle. The solution was filtered using Whatman no. 1 filter paper. 20 millimolar (0.574 g) of zinc oxide was dissolved in 60 ml of distilled water. 60 ml of this solution was mixed with 40 ml of *a. Webbiana* filtrate in a beaker, which was then kept on a stirrer. A mouthwash was prepared using the extracted nanoparticles and was used for antimicrobial testing.

Results: The plasmon resonance band of zinc oxide nanoparticles showed absorbance peak at

*Corresponding author: E-mail: jeevitham.sdc@saveetha.com;

450 nm. Maximum zone of inhibition was obtained at 100 µl against *S. Aureus*, 25 µl against *E. faecalis*, 50 µl against *C. albicans* and 100 µl against *S. Mutans*.

Conclusion: The mouthwash shows effective activity against *C.albicans* and *S.mutans*. Zinc oxide nanoparticles extracted from *A. Webbiana* have a potent antimicrobial activity and can be used for the treatment of orofacial infections.

Keywords: Antifungal; green synthesis; innovative technology; nanoparticles; zinc oxide.

1. INTRODUCTION

The reason for the “nano-hype” that recently has conquered all disciplines of natural sciences is the observation that properties of materials depend not only on composition but also on morphology (size and shape). For materials with at least one dimension below 50 nm, the contribution of surface energy to total energy becomes more and more significant. The smaller the structure gets, just as chemical and physical properties of surfaces differ from those of the bulk, so do those of nanoscale materials. Zinc oxide (ZnO) is a wide band gap semiconductor with an energy gap of 3.37 eV at room temperature. It has been used considerably for its catalytic, electrical, optoelectronic, and photochemical properties [1]. ZnO nanostructures have a great advantage to apply to a catalytic reaction process due to their large surface area and high catalytic activity. Since zinc oxide shows different physical and chemical properties depending upon the morphology of nanostructures, not only various synthesis methods but also the physical and chemical properties of synthesized zinc oxide are to be investigated in terms of its morphology [2]. ZnO NPs have a very strong antibacterial effect at a very low concentration of gram negative and gram positive bacteria as confirmed by the studies, they have shown strong antibacterial effect than the ZnO NPs synthesized chemically [3-5].

Plant parts like roots, leaves, stems, seeds, fruits have also been utilized for the NPs synthesis as their extract is rich in phytochemicals which act as both reducing and stabilizing agent [6-12]. *A.webbiana* is a medicinal plant which is an extract, evergreen perennial shrub. It is used to prepare ayurvedic formulated drugs because of aphrodisiac, rejuvenating, anti inflammatory, anti tumor properties. The genus *Abies* belongs to the division *Tracheophyta*, class *pinopsida*, order *pinales* and family *Pinaceae*. The studies by Mishra et al. [13] and Naidu et al. [14] reveal that the leaves of *A.webbiana* (Talisapatra) are anti-oxidant, immune modulatory and haematopoietic

in nature. The chemical compounds like phytochemicals are biologically active and can provide health benefits for humans than those attributed to macronutrients and micronutrients.

The aim of this study is to synthesize zinc oxide nanoparticles from *A.webbiana* plant extract and to test its antimicrobial activity against certain microorganisms.

2. MATERIALS AND METHODS

1g of *A.webbiana* plant extract was mixed with 100mL of distilled water and boiled for 15 minutes to 60°C in a heating mantle.

The solution was filtered using Whatman no 1 filter paper. 20 millimolar (0.574g) of zinc oxide was dissolved in 60 mL of distilled water. 60mL of this solution was mixed with 40mL of *A.webbiana* filtrate in a beaker, which was then kept on a stirrer.

The solution was checked periodically for colour change. The synthesised nanoparticles were measured using a double beam UV spectrophotometer.

The mouthwash was prepared by dissolving 2g of sodium benzoate into 10mL of distilled water using a glass rod in a beaker and adding 3 drops of clove oil and leaving the solution idle for 15 minutes. Then, 20µl of zinc oxide nanoparticles was added into the mouthwash and stirred. An antimicrobial test was done via agar well diffusion method against *S.aureus*, *E.faecalis*, *C.albicans* and *S.mutans*. The zones of inhibition which were obtained were measured.

3. RESULTS

Zinc oxide nanoparticles were initially identified by their characteristic dark brown colour with the surface plasma resonance at its peak position at 450nm. The antimicrobial activity of the mouthwash was assayed by a well diffusion method against oral pathogens and the respective zone of inhibitory concentration was

Antimicrobial activity of zinc oxide nanoparticle (extracted from *abies webbiana*) based mouthwash.




Fig. 1.

found to be as shown in the graph. Maximum zone of inhibition was obtained at 100µL against *S. aureus*, 25µL against *E. faecalis*, 50µL against *C. albicans* and 100µL against *S. mutans*. The inhibition zone achieved against *S. aureus* was the lowest at 25µL, against *E. faecalis* was at 100µL, against *C. albicans* and *S. mutans* was when the standard solution was used.

4. DISCUSSION

Our team has extensive knowledge and research experience that has translate into high quality publications [15-34].

There are similar studies done on copper nanoparticles [35-38], iron nanoparticles [39-40], silver nanoparticles [41] and selenium nanoparticles [42] with varying degrees of success. The current study shows Zinc oxide nanoparticles (extracted from *A. webbiana*) based mouthwash has a potent antimicrobial property where it is more effective against bacteria when compared to *C. albicans*. It is also shown to have a similar action as the standard on *S. aureus*. The action of the mouthwash on *E. Faecalis* is less effective than the standard solution. In case of *S. mutans*, it shows a higher percentage of zone of inhibition than the standard solution, making it a potent agent to be used in a mouthwash.

In a study done by Lakshmi et al, similar findings were seen where the zone of inhibition was

higher for the solutions containing the nanoparticles than the standard [43]. In another study done by Elumalai et al on *Azadirachta indica*, zinc oxide nanoparticles showed interesting antimicrobial activity against both gram positive and gram negative bacteria [44]. A study done by Ismail et al found that the optimum calcination temperature for the preparation of zinc oxide nanoparticles for a superior antimicrobial action against gram positive and gram negative bacteria is 300°C [45].

In the present study, the zone of inhibition against fungal organisms was considerably larger than that of the standard solution (which was fluconazole), which suggests a potent antifungal activity. This is similar to results of studies done by He et al. [46] and Karimian et al. [47] where, especially in the later, zinc oxide nanoparticles are shown to be extremely effective against *C. albicans*.

The present study shows that zinc oxide nanoparticles extracted from *A. webbiana* show a potent antimicrobial activity, especially an antifungal activity. Further, large scale research should be done to expand on the application of these findings.

5. CONCLUSION

The zinc oxide nanoparticles were found at the peak position of 450nm. The mouthwash showed

potent action against *C.albicans* and *S.mutans* when compared to the standard solution, while showing similar action against *S.aureus* and *E.faecalis*. The zinc oxide nanoparticles have showed potent antimicrobial property which promises similar therapeutic effectiveness against various infectious conditions

CONSENT

It is not applicable.

ETHICAL APPROVAL

It is not applicable.

ACKNOWLEDGEMENTS

This research was done under the supervision of the Department of Periodontics, Saveetha dental College and Hospital. We sincerely show gratitude to the corresponding guide who provided insight and expertise that greatly assisted the research.

COMPETING INTERESTS

Authors have declared that no competing interests exist.

REFERENCES

1. Ischenko V, Polarz S, Grote D, Stavarache V, Fink K, Driess M. Zinc oxide nanoparticles with defects. *AdvFunct Mater.* 2005;15(12):1945–54.
2. Kumar SS, Venkateswarlu P, Rao VR, Rao GN. Synthesis, characterization and optical properties of zinc oxide nanoparticles. *International Nano Letters.* 2013;3(1):30.
3. Vimala K, Sundarraj S, Paulpandi M, Vengatesan S, Kannan S. Green synthesized doxorubicin loaded zinc oxide nanoparticles regulates the Bax and Bcl-2 expression in breast and colon carcinoma. *Process Biochem.* 2014;49(1):160–72.
4. Venkatachalam P, Jayaraj M, Manikandan R, Geetha N, Rene ER, Sharma NC, et al. Zinc oxide nanoparticles (ZnONPs) alleviate heavy metal-induced toxicity in *Leucaena leucocephala* seedlings: A physiochemical analysis. *Plant PhysiolBiochem.* 2017;110:59–69.
5. Hazra C, Kundu D, Chaudhari A, Jana T. Biogenic synthesis, characterization, toxicity and photocatalysis of zinc sulfide nanoparticles using rhamnolipids from *Pseudomonas aeruginosa* BS01 as capping and stabilizing agent. *J Chem Technol Biotechnol.* 2013;88(6):1039–48.
6. Zong Y, Li Z, Wang X, Ma J, Men Y. Synthesis and high photocatalytic activity of Eu-doped ZnO nanoparticles. *Ceram Int.* 2014;40(7, Part B):10375–82.
7. Nachiyar V, Sunkar S, Prakash P, Others. Biological synthesis of gold nanoparticles using endophytic fungi. *Der Pharma Chem.* 2015;7(11):31–8.
8. Ramesh M, Anbuvaran M, Viruthagiri G. Green synthesis of ZnO nanoparticles using *Solanum nigrum* leaf extract and their antibacterial activity. *Spectrochim Acta A Mol Biomol Spectrosc.* 2015;136Pt B:864–70.
9. Xiao L, Liu C, Chen X, Yang Z. Zinc oxide nanoparticles induce renal toxicity through reactive oxygen species. *Food Chem Toxicol.* 2016;90:76–83.
10. Rajeshkumar S. Anticancer activity of eco-friendly gold nanoparticles against lung and liver cancer cells. *J Genet Eng Biotechnol.* 2016;14(1):195–202.
11. Nagajyothi PC, Minh An TN, Sreekanth TVM, Lee J-I, Joo Lee D, Lee KD. Green route biosynthesis: Characterization and catalytic activity of ZnO nanoparticles. *Mater Lett.* 2013;108:160–3.
12. Gnanajobitha G, Paulkumar K, Vanaja M, Rajeshkumar S, Malarkodi C, Annadurai G, et al. Fruit-mediated synthesis of silver nanoparticles using *Vitis vinifera* and evaluation of their antimicrobial efficacy. *Journal of Nanostructure in Chemistry.* 2013;3(1):67.
13. Mishra L-C, Singh BB, Dagenais S. Scientific basis for the therapeutic use of *Withania somnifera* (ashwagandha): A review. *Altern Med Rev.* 2000;5(4):334–46.
14. Naidu PS, Singh A, Kulkarni SK. Effect of *Withania somnifera* root extract on haloperidol-induced orofacial dyskinesia: Possible mechanisms of action. *J Med Food.* 2003 Summer;6(2):107–14.
15. Ramesh A, Varghese S, Jayakumar ND, Malaiappan S. Comparative estimation of sulfiredoxin levels between chronic periodontitis and healthy patients - A case-control study. *J Periodontol.* 2018 ;89(10):1241–8.
16. Paramasivam A, Priyadharsini JV, Raghunandhakumar S, Elumalai P. A novel COVID-19 and its effects on

- cardiovascular disease. *Hypertens Res.* 2020;43(7):729–30.
17. SG, TG, KV, Faleh AA, Sukumaran A, PNS. Development of 3D scaffolds using nanochitosan/silk-fibroin/hyaluronic acid biomaterials for tissue engineering applications. *Int J BiolMacromol.* 2018; 120(Pt A):876–85.
 18. Del Fabbro M, Karanxha L, Panda S, Bucchi C, NadathurDoraiswamy J, Sankari M, et al. Autologous platelet concentrates for treating periodontal infrabony defects. *Cochrane Database Syst Rev.* 2018;11:CD011423.
 19. Paramasivam A, VijayashreePriyadharsini J. MitomiRs: new emerging microRNAs in mitochondrial dysfunction and cardiovascular disease. *Hypertens Res.* 2020;43(8):851–3.
 20. Jayaseelan VP, Arumugam P. Dissecting the theranostic potential of exosomes in autoimmune disorders. *Cell Mol Immunol.* 2019;16(12):935–6.
 21. Vellappally S, Al Kheraif AA, Divakar DD, Basavarajappa S, Anil S, Fouad H. Tooth implant prosthesis using ultra low power and low cost crystalline carbon bio-tooth sensor with hybridized data acquisition algorithm. *ComputCommun.* 2019 ;148:176–84.
 22. Vellappally S, Al Kheraif AA, Anil S, Assery MK, Kumar KA, Divakar DD. Analyzing relationship between patient and doctor in public dental health using particle memetic multivariable logistic regression analysis approach (MLRA2). *J Med Syst.* 2018;42(10):183.
 23. Varghese SS, Ramesh A, Veeraiyan DN. Blended module-based teaching in biostatistics and research methodology: A retrospective study with postgraduate dental students. *J Dent Educ.* 2019;83(4):445–50.
 24. Venkatesan J, Singh SK, Anil S, Kim SK, Shim MS. Preparation, characterization and biological applications of biosynthesized silver nanoparticles with chitosan-fucoidan coating. *Molecules* [Internet]. 2018;23(6). Available:<http://dx.doi.org/10.3390/molecules23061429>
 25. Alsubait SA, Al Ajlan R, Mitwalli H, Aburaisi N, Mahmood A, Muthurangan M, et al. Cytotoxicity of different concentrations of three root canal sealers on human mesenchymal stem cells. *Biomolecules* [Internet]. 2018;8(3). Available:<http://dx.doi.org/10.3390/biom8030068>
 26. Venkatesan J, Rekha PD, Anil S, Bhatnagar I, Sudha PN, Dechsakulwatana C, et al. Hydroxyapatite from cuttlefish bone: Isolation, characterizations, and applications. *Biotechnol Bioprocess Eng.* 2018;23(4):383–93.
 27. Vellappally S, Al Kheraif AA, Anil S, Wahba AA. IoT medical tooth mounted sensor for monitoring teeth and food level using bacterial optimization along with adaptive deep learning neural network. *Measurement.* 2019;135:672–7.
 28. PradeepKumar AR, Shemesh H, Nivedhitha MS, Hashir MMJ, Arockiam S, Uma Maheswari TN, et al. Diagnosis of vertical root fractures by cone-beam computed tomography in root-filled teeth with confirmation by direct visualization: A systematic review and meta-analysis. *J Endod.* 2021;47(8):1198–214.
 29. R H, Ramani P, Tilakaratne WM, Sukumaran G, Ramasubramanian A, Krishnan RP. Critical appraisal of different triggering pathways for the pathobiology of pemphigus vulgaris-A review. *Oral Dis* [Internet]; 2021. Available:<http://dx.doi.org/10.1111/odi.13937>
 30. Ezhilarasan D, Lakshmi T, Subha M, Deepak Nallasamy V, Raghunandhakumar S. The ambiguous role of sirtuins in head and neck squamous cell carcinoma. *Oral Dis* [Internet]; 2021. Available:<http://dx.doi.org/10.1111/odi.13798>
 31. Sarode SC, Gondivkar S, Sarode GS, Gadbail A, Yuwanati M. Hybrid oral potentially malignant disorder: A neglected fact in oral submucous fibrosis. *Oral Oncol.* 2021;105390.
 32. Kavarthapu A, Gurumoorthy K. Linking chronic periodontitis and oral cancer: A review. *Oral Oncol.* 2021;105375.
 33. Vellappally S, Abdullah Al-Kheraif A, Anil S, Basavarajappa S, Hassanein AS. Maintaining patient oral health by using a xeno-genetic spiking neural network. *J Ambient Intell Humaniz Comput* [Internet]; 2018. Available:<https://doi.org/10.1007/s12652-018-1166-8>
 34. Aldhuwayhi S, Mallineni SK, Sakhamuri S, Thakare AA, Mallineni S, Sajja R, et al. COVID-19 knowledge and perceptions among dental specialists: A cross-sectional

- online questionnaire survey. Risk ManagHealthc Policy. 2021;14:2851–61.
35. Devi RS, Jeevitha M, Preetha S, Rajeshkumar S. Free radical scavenging activity of copper nanoparticles synthesized from dried ginger. J Pharm Res Int. 2020;1–7.
36. Trisha S, Jeevitha M, Preetha S, Rajeshkumar S. Green synthesis of copper nanoparticles using turmeric-tulsi extract and its characterization. Plant Cell Biotechnology and Molecular Biology. 2020;79–84.
37. Rieshy V, Jeevitha M, Rajeshkumar S. Cytotoxicity of copper nanoparticles synthesized using dried ginger. Plant Cell Biotechnology and Molecular Biology. 2020;1–6.
38. Rajeshkumar S, Tharani M, Jeevitha M, Santhoshkumar J. Anticariogenic activity of fresh aloe Vera gel mediated copper oxide nanoparticles. Indian j public health res dev. 2019;10(11):3664.
39. Begum A, Jeevitha M, Preetha S, Rajeshkumar S. Cytotoxicity of Iron Nanoparticles Synthesized Using Dried Ginger. Journal of Pharmaceutical Research International. 2020;112–8.
40. Free radical scavenging activity of iron nanoparticles synthesized using dried ginger. Int J Pharm Res [Internet]. 2020;12(04). Available: <http://www.ijpronline.com/ViewArticleDetail.aspx?ID=18249>
41. Jeevitha M, Rajeshkumar S. Antimicrobial activity of silver nanoparticles synthesized using marine brown seaweed *Spatoglossum asperum* against oral pathogens. Indian j public health res dev. 2019;10(11):3568.
42. Ali SJ, Preetha S, Jeevitha M, Prathap L, Rajeshkumar S. Antifungal Activity of Selenium Nanoparticles Extracted from Capparis decidua Fruit against *Candida albicans*. Journal of Evolution of Medical and Dental Sciences. 2020;9:2452+.
43. Venkataraju JL, Sharath R, Chandraprabha MN, Neelufar E, Hazra A, Patra M. Synthesis, characterization and evaluation of antimicrobial activity of zinc oxide nanoparticles. J Biochem Technol. 2014;3(5):151–4.
44. Elumalai K, Velmurugan S. Green synthesis, characterization and antimicrobial activities of zinc oxide nanoparticles from the leaf extract of *Azadirachta indica* (L.). Appl Surf Sci. 2015 Aug 1;345:329–36.
45. Ismail AM, Menazea AA, Kabary HA, El-Sherbiny AE, Samy A. The influence of calcination temperature on structural and antimicrobial characteristics of zinc oxide nanoparticles synthesized by Sol–Gel method. J MolStruct. 2019;1196:332–7.
46. He L, Liu Y, Mustapha A, Lin M. Antifungal activity of zinc oxide nanoparticles against *Botrytis cinerea* and *Penicillium expansum*. Microbiol Res. 2011;166(3):207–15.
47. Karimiyan A, Najafzadeh H, Ghorbanpour M, Hekmati-Moghaddam SH. Antifungal effect of magnesium oxide, zinc oxide, silicon oxide and copper oxide nanoparticles against *Candida albicans*. Zahedan J Res Med Sci [Internet]. 2015;17(10). Available: <https://sites.kowsarpub.com/zjrms/articles/2179.html>

© 2021 Iyer et al.; This is an Open Access article distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/4.0>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Peer-review history:

The peer review history for this paper can be accessed here:
<https://www.sdiarticle5.com/review-history/78801>