



# Complete Mechanization of Oil Seed Crop Cultivation to Augment the Potentiality of Yellow Revolution in India: A Review

R. Rithiga <sup>a</sup>, S.K. Natarajan <sup>b\*</sup>, S.R. Venkatachalam <sup>c</sup>,  
S. Rathika <sup>a</sup> and R. Sivakumar <sup>d</sup>

<sup>a</sup> Department of Agronomy, Anbil Dharamalingam Agricultural College and Research Institute, Thiruchirapalli, Navalurkuttapattu – 620009, Tamil Nadu, India.

<sup>b</sup> Department of Agronomy, Tapioca and Castor Research Station, Salem, Yethapur-636119 Tamil Nadu, India.

<sup>c</sup> Department of Genetics and Plant Breeding, Tapioca and Castor Research Station, Salem, Yethapur- 636119 (Tamil Nadu), India.

<sup>d</sup> Department of Crop Physiology, Tamil Nadu Agricultural University, Coimbatore- 641003 Tamil Nadu, India.

## **Authors' contributions**

*This work was carried out in collaboration among all authors. All authors read and approved the final manuscript.*

## **Article Information**

DOI: <https://doi.org/10.9734/ijpss/2024/v36i84887>

## **Open Peer Review History:**

This journal follows the Advanced Open Peer Review policy. Identity of the Reviewers, Editor(s) and additional Reviewers, peer review comments, different versions of the manuscript, comments of the editors, etc are available here: <https://www.sdiarticle5.com/review-history/120866>

**Review Article**

**Received: 01/06/2024**

**Accepted: 02/08/2024**

**Published: 06/08/2024**

\*Corresponding author: E-mail: [natarajan.s.k@tnau.ac.in](mailto:natarajan.s.k@tnau.ac.in);

## ABSTRACT

This study explores how mechanization could support oil seed production in India in line with the self-sufficiency objectives of the yellow revolution. The text highlights the limitations, such as low yields and reliance on imports, and highlights how mechanization can increase productivity, profitability, and resource usage. Particular mechanized techniques for different stages such as field preparation, sowing, weed management, and harvesting are explored with an emphasis on groundnut, Castor, Sunflower, Rapeseed, Soybean and sesame cultivation. This review paper promotes broader adoption of mechanization as a crucial tactic to accomplish sustainable growth in oil seed production and reduce dependence on imports.

**Keywords:** Mechanization; yellow revolution; precision farming; combine harvester; oil seeds; productivity.

## 1. INTRODUCTION


Globally, the oil seeds production is about 659.36 million metric tons during 2023-24. In India, the production of oil seeds during the 2022-23 about 41.5 million metric tons. The oil seeds cultivated in 42.5mha during 2023-24 with production of 41.5 MT. The country's edible oil demand is estimated to be 25.0 million tons during 2023-24, while domestic production only amounts to 11.2 million tonnes [1]. The supply and demand for edible oils differ by 56.0%, in which filled by imports (estimated imports of 13.65 million tonnes in 2022–2023 compared to 13.84 million tonnes in 2021-22). India has a low percentage of farm mechanization (40%) when compared to the US (95%), Western Europe (95%), Russia (80%), and Brazil (75%) [2]. Due to the introduction of major economic reforms of Liberalization, Privatization and Globalization, increased rural-urban migration, labour shortage for agriculture, increased share of non-agriculture in both employment and income, increased non-farm incomes compared to farm incomes, rising input costs including labour cost and wider

adoption of farm mechanization [3]. Grigg estimated that the share of the world workers employed in agriculture reduced from 72 to 62% between 1950 and 1990. At present scenario, the International Labor Organization (ILO) estimates that agriculture employed 27% of the world's workers in 2019 [4]. In 1950 and 2020, the share of the global population living in rural areas declined from 70 to 40% [5]. Manual labour using bullock drawn implements is used for all fields operations consumes lot of time. So, used for Mechanization reduces labour and time requirements by 20-30%, saves seeds and fertilizers by 15-20% and increasing productivity by 10-15% [6]. The oil seed crops include sesame (*Sesamum indicum* L.), sunflower (*Helianthus annuus*.L), Rapeseed (*Brassica napus* var), groundnut (*Arachis hypogaea* L.), soybean (*Glycine max*), Castor (*Ricinus communis* L.) etc. The study conduct in the crops indicated that the national yield of oilseed crops is low as compared to their yield potential (Table 1). The percent share of major oilseed crops in domestic oil production is given in Fig. 1.

**Table 1. Yield Potential of different Oilseed Crops**

Crop	Average yield (Kg/ha)	Yield potential (kg/ha)	Yield gap (Kg/ha)	Unachieved potential (%)
Sesame	600	700 -1,500	800	60
Groundnut	1700	2579	8000	33.04
Soybean	1500	3,000-3,500	1600	53.57
Castor	1750	3,750	1800	33.04
Sunflower	900	3000- 2500	1700	68
Rapeseed	600	2000-2500	1200	46.6

Source: Doubling Farmers' Income Committee (DFIC), IJ Plant & Soil Science, Directorate of Oilseeds Development India, Indian Council of Agricultural Research - Oilseeds Research (ICAR) (2022-2023) [7]



**Fig .1. Area share of major oil seed crops in mechanization [9]**

Agricultural Statistics at a Glance [8] revealed that mechanization has reduced the cost of cultivation of groundnut/acre by 20.6% as compared with the farmer's method of cultivation and thus decrease in the cost of cultivation will proportionately increase the net profits and the Benefit cost ratio of groundnut cultivation. The yellow revolution period of 1986-87 aimed at the production of oil seeds for self-reliance and the production increased from 12 million tonnes to 24 million tonnes. The father of yellow revolution is Sam Pitro and the revolution targets sesame, sunflower, soybean, castor, groundnut and rapeseed. In this review the farming systems identify potential resource constraints of mechanization and this review primary objective is to clarify the benefits and effectiveness of mechanization in major oil seeds.

## 2. SESAME

According to [10] Sesame (*Sesamum indicum*) is a Pedaliaceae family. Sesame is one of the world most important and oldest known oil seed crops. Sesame is also referred to as "Till" or "Gingelly" and is one of the oldest crops that yields oil. Sesame is known for its adaptability as a flavouring agent in a variety of Indian dishes even when it has an oil content of 40 to 50% [11]. Sesame is rich in calcium, phosphorus and protein is therefore a valuable source of nutrition and its agricultural importance is expanding globally [12]. Sesame seeds contain fat, protein, minerals, vitamins and dietary fibre. Sesame oil, derived from traditional oil production methods is

high in unsaturated fatty acids, fat-soluble vitamins, amino acids etc. furthermore, studies sesame revealed that seeds contain 21.9% protein, 61.7% fat and are rich in minerals like Fe and Ca [13].

### 2.1 Field Preparation

A tractor or a traditional/country plough used to plough the ground. Then, it should be repeatedly harrowed or tilled using a rotary tiller. Considering that sesame seeds are tiny, this procedure aids in breaking up the soil, establishing a fine tilth, and getting rid of weeds to promote rapid germination [14].

### 2.2 Sowing

Manual planter mechanically devices are operated manually by either pushing or pulling using hand pushed pulled seed drills for facilitating efficient planting. Hand operated are compact and portable for even distribution of seeds and also tractor operated seed drills efficiently sown the seeds quickly and uniformly. Pneumatic sesame row planters are specialized planters use air pressure to plant sesame seed in rows Fig. 2. The above soild mechineries has increased efficiency, consistency, adaptability, resource management and reduced physical strians over traditional methods [15].

**Power tiller integration:** The seed drill is mounted on a power tiller, which supply the necessary drive and movement. The engine

powers the seed drill, allowing it to be operated more efficiently than manual methods.


**Air-assisted mechanism:** The seed drill employs an air-assisted system to ensure accurate seed delivery and distribution. This system features a fan or blower that generates an airflow to transport seeds from the hopper to the furrow. The air stream helps distribute the seeds evenly and reduces the risk of clogging.

**Seed metering:** The seed drill features a metering mechanism that controls the seed flow from the hopper. This system manages the seed release, ensuring that seeds are distributed at uniform intervals and depths. The operator can adjust the mechanism based on the type of seed and the desired planting density. Seed drill designed for sowing small seeds like sorghum,

cumbu and sesame. This machine allows the operator to adjust the row spacing between 300 mm (for four rows) and 600 mm (for two rows). By raising the tool bar, the power to the metering shaft can be disengaged. The seed drill has a field capacity of 0.15 to 0.2 hectares per hour it can cover this area in one hour of operation, which is a notable improvement over traditional sowing methods[16].

## 2.3 Weed Management

Weeding was done using a self-propelled power weeder 35 days after sowing [17]. It is suggested to use blade harrowing for inter-cultivation of for inter -cultivation row-seeded sesame crops, use blade harrowing for inter-cultivation [14].



**Fig. 2. Flow chart of different machine's in sesame cultivation**



**Fig. 3. Reaper Binder-Harvester**

## 2.4 Harvest

Sesame seed harvesting can commence when the plant's lower leaves start to shed and its leaves, stems and capsules turn yellow in colour. Sesame plants should be chopped at ground level for harvesting Fig. 3. The diesel single-cylinder engine operated reaper-binder has a 12.2 horsepower output. Four forward gears and one reverse gear are available in its mechanical drive system. A gear drive that is controlled by a lever allows the power take-off (PTO) to be engaged. The cutting bar, which has a 140 cm cutting width, has continuously moving forks that effectively move the cut crop in the direction of the binder. When the sheaf is ready, the binder itself ensures accurate twine cutting and binding of the cut crop. With the use of a special spring, the sheaf diameter can be changed in four different ways to provide flexibility based to different needs [11].

## 3. GROUNDNUT

One of the most important food and oil seed crops in the world is groundnut, or peanut (*Arachis hypogaea* L.;  $2n = 4x = 40$ ). One of India's main oil seed crops account for 25% of the nation's total oilseed production. Groundnuts are grown in 27.66 million hectares worldwide and their total yearly production is 43.98 million tons [23].

### 3.1 Field Preparation

A good seed bed is prepared for the sowing process using secondary tillage equipment such

as rotavator and disc harrow following the primary tillage operation [24]. A tractor – drawn rotavator is used to prepare the land after a disc harrow [25].

### 3.2 Sowing

According to [26] mechanizing groundnut cultivation through scientific intervention could potentially achieve the dual goals of increased productivity and energy efficiency. Groundnut seeds were sown using an Instituto Agronomico de Campinas (IAC) Runner in a mechanized process with a row spacing of 0.9 meters Each plot, measuring 240 square meters, had dimensions of 20 meters in length and 12 meters in width. The tractor-digger-inverter displacement speed stabilization and maneuverability were represented by a 15-meter-long plot among the longitudinal plots [27].

### 3.3 Weed Management

Crop production is greatly influenced by weed control, which also determines the crop's success. Today, the most popular techniques for getting free of weeds are hand weeding and applying herbicides. Weeding was carried out using a nail weeder at 25 and 45 days after sowing (DAS), with a power weeder also utilized at 25 and 45 DAS Fig. 4. [25]. According to [28] a large area will be weeded in a short amount of time using a tractor-drawn weeder that can cover four to five hectares per day. [29] revealed that mechanical weed control is a less labour-



intensive and faster method than hand weeding. Cash crops inter rows, such as cotton, tapioca, and grape, can benefit from weeding in between with a power weeder Fig. 5.

Mechanized weeding stretches the soil to create an environment that is conducive to peg penetration. A large area will be weeded in a limited amount of time using a tractor-drawn weeder that covers five to five hectares per day [30].

### 3.4 Intercultural Operation

Traditionally, hand weeding was practiced by the farmers and end of the twentieth century improved 4 row ananta bullock drawn inter-culture implement were used for removal of shallow depth weeds in between rows of groundnut crop. It consists of 4 straight blades, frame, handle and beam to attach with a pair of bullocks. The blades are fixed to the frame to which handle is attached. The blades are the

working components which are made from medium carbon steel or mild steel for more strength to resist soil friction and to have long life. The width of each blade is 15 cm. for operation, the weeder is passed in between the rows of crop so the blades cut and uproot the weeds. Its field capacity is 2.0 ha/day [31].

As modern machineries, 8-row tractor operated inter-culture implement used for weeding in groundnut crop developed at Agricultural Research Station, ANGRAU, Anantapur. Its frame is provided with 8 tynes, each tynes attached with T or V-shape sweeps to work in between 30 cm row spacing of the crop without any plant damage. Two small width pneumatic tyres of 8.3" X 28" size need to be fitted to the rear axle of the tractor to run in between rows of the crop instead of normal size tyres to prevent trampling of plants under the tyres. The size of the sweeps range from 4" to 6" and its field capacity is 4 to 5 ha/day [31].



Fig. 4. Nail weeder



Fig. 5. Power weeder

### 3.5 Decorticating Equipment

The process of removing groundnut kernels from their dried pods is known as decortication; the decorticator can handle 250–300 kg of groundnuts per hectare. In a brief amount of time, huge quantities of groundnut pods are shelved [31].

Power operated groundnut decorticator is used to shell groundnut pods and to separate kernels. This is operated with 2 H.P single phase electric motor. It consists of feed hopper, rasp bar cylinder with hard rubber linings, perforated concave screen, two oscillating sieves and a blower. The groundnut pods are shelled between the rubber linings of cylinder and fixed perforated concave screen by rubbing action. The decorticated shells and kernels fall down on oscillating sieves through the perforated concave screen. A centrifugal blower with spiral casing provided in between the perforated concave screen and oscillating sieves separates the light weight shells from kernels. Oscillating sieves separates pods from stalk, leaves and other foreign material. Its capacity is 250 – 300 kg/h and attached with electric motor [31].

### 3.6 Harvest and Threshing

[32] reported that groundnut combine harvester operation yield savings of 39% and 96% in terms of money and time, respectively, in comparison to the traditional manual digging and stripping method. Harvesting groundnuts is a significant operation that requires a large workforce and high cultivation costs. [31] stated that groundnut strippers are highly helpful, and a combined harvester will make the post-harvesting process easier to complete. To improve the quality of the mechanized digging process, it is therefore imperative that the operation be suitable for each scenario that arises and that all potential causes of loss are minimized. A 4X2 Front-Wheel Drive tractor with a 110 kW (150 hp) engine was used to pull a 2x1 digger, which formed a plot of two lines, at a speed of 7 km/h. The tractor was designed for mechanized peanut digging in sandy, medium, and loamy soils. Digging was done in the loamy soil with a 4x2 digger (four lines forming two plots) pulled by a 4x2 FWD tractor with an engine that produced 139.7 kW (190 hp) at nominal speed, or 7.3 km/h<sup>-1</sup>.

## 4. CASTOR

Castor (*Ricinus communis L.*) is a significant non edible oilseed. In India castor production in 2022-

23 is 18.82 lakh tonnes as against 16.19 lakh tonnes in 2021-22. (*Ricinus communis*) has 2n = 20 Chromosomes and is a member of the Euphorbiaceous family. The species known as Castor bean is indigenous to Ethiopia in Africa.

### 4.1 Field Preparation

One of the newly popularized tools used by farmers for primary tillage work is the tractor-driven 5 or 8-tine duck foot, cultivator, and disc plough, which enhances castor root growth for deep penetration and yields higher yields [37]. Studied the draught needed for a five - tine duck foot plough in clay soil at varying tractor forward speed, depth of operation, and soil moisture content.

### 4.2 Sowing

#### Tractor Drawn Ananta Planter for Castor:

Tractor-drawn Ananta groundnut planter (3 rows) is introduced to mechanize castor sowing for timely operation and mechanical advantage. To cover the furrows after seeding, a 5 cm wide covering blade is installed behind the furrow openers accurate seed-to-seed distance and maintains the recommended seed rate for dry land crops. There is very little damage to the seeds, and they are planted at the right depth of 4-5 cm. With a field capacity of 6 to 7 ha/day, a sizable area can be covered before the soil moisture dries up [38].

### 4.3 Weed Management and Fertilizers Application

The mini rotary weeder cum fertilizer drill, developed by Junagadh Agricultural University, is designed for wide-spacing crops like castor, pigeon pea, and cotton. It is compatible with mini-tractors and operates via the tractor's PTO, using a three-point hitch system for stable attachment. This machine performs inter-cultivation and drills fertilizer near the root zone, managing weed growth and enhancing nutrient uptake. By combining weeding and fertilizing into one operation, it significantly saves time and energy [38].

### 4.4 Rotary Weeder-Cum-Fertilizer Drill

The overall dimensions of the machine were 1050 × 1460 × 1240 mm (L×W×H). The machine's main frame, weeding system, and fertilizer application system are its three main



**Fig. 6. Flow chart of different machine's in groundnut cultivation**

parts. The implement's width of coverage was intended for 1.2 m row crops. When weeding is at its worst, eight hours of manual labour are needed for weeding and fertilizer application. However, if a rotary weeder cum fertilizer drill is used, inter-culturing and fertilizer operations can be finished in as little as 5.1 hours of labour with just one worker [39].

#### 4.5 Harvest

When the capsules are fully dry, they are ready to harvest and if this process is delayed, there may be a significant loss of seed due to shattering. Thus, a certain amount of aerial biomass which, in the case of castor plants, is

not in significant is transported within the cleaning system [40]. Suggest an alternative method, Particular the potential to harvest the capsules alone that is, to avoid chopping and threshing the entire plant. The cutting bar that is installed on the combine harvester's header is to be replaced with a vibrating system in this novel approach.

According to [41] the implementation of a sunflower header on a conventional combine harvester may serve as a precursor to the eventual development of a fully automated castor bean harvest phase. This would result in reduced seed loss and maintain the combine harvester's cleaning capabilities. Many plant varieties and



threshers are still in the testing stage. The mechanical harvesting method has been employed due to the suitability of dwarf hybrid castor plants. Moreover, the right defoliant is needed. The plants' residual moisture content was sufficiently decreased by the defoliant to enable mechanical harvesting [41]. Combine harvesters are able to work faster and more effectively, which benefits farmers by increasing grain yield and quality. Additionally, the work is completed faster than it would have with human labour. Overall, Indian farmers may increase the economy and profitability of their agricultural operations by utilizing combined harvesters [41].

#### 4.6 Threshing

In accordance with [42], mechanized castor farming saved a significant amount of time (490 h/ha) and labor (58 man-days/ha) when performing various agronomic tasks. It also helped in completing all field operations on time and with high precision. The All India Coordinated Research Project on Castor designed and developed two power-operated and hand-operated threshers that are suitable for small and marginal farmers, both of which are farmer-friendly and small-scale. The castor thresher is powered by a 10 hp diesel engine with a coolant oil engine at 1440 rpm, capable of threshing 500 kg per hour at 91% efficiency. The Mini Power-operated castor thresher uses a 0.5 HP motor at 220 rpm to produce approximately 50 kg per h. The thresher's 85% efficiency makes it easier for farmers to operate [38].

### 5. SUNFLOWER

#### 5.1 Land Preparation

Before the plants sprout, sunflower maintenance involves harrowing the culture with an adjustable coulter harrow or a rotative hoe to level the ground, crush the crust, and remove any weeds before sunrise. It is a very significant piece of work in sunflower [48]. According to [49] the disk harrow (as opposed to the rotor tiller, disk plough, and mould board plough) was the most energy-efficient piece of equipment in terms of fuel consumption and specific energy. Ploughing with a FENDT FARMER 311 LSA tractor and a reversible HUARD plough [50].

#### 5.2 Sowing

Generally sunflowers are sown using a U-650M tractor as well as SPC 4F seeder [50]. Single-seeded seeders are used to sow sunflower

seeds in a dotted pattern. Pneumatic and mechanical seeding units are included with these seeders. Due to their greater versatility, pneumatic seeding devices are more commonly used. Conversely, extrabaric seed metering systems or vacuums are used by pneumatic seeding devices. The sowing disc moves the seeds pressed against the holes to the work area of the extra seed spreader, with the goal of leaving one seed in each sowing disc hole. When there are two or more seeds in the hole, the spreader operation is required. Therefore, ejectors can be plate, roller, brush, or combination [51].

#### 5.3 Fertilizer Application

According to [50] fertilization done with a U-650M tractor and a NORDAGRI 500 fertilizer machine.

#### 5.4 Weed Management

U-650M Tractor designed for versatile agricultural operations, including soil preparation, planting, and crop maintenance and CPPM-4 Cultivator Specialized for soil cultivation, weed control, and aeration the weed control is up rooting weeds, reducing competition with crops [50].

#### 5.5 Harvest

The components of a sunflower header typically include the frame, auger, cutting units, dividers, choppers stems, and seed conveyors [52]. Sunflower header use is typically linked to 2% seed loss values [53]. These sieve holes, which resembled sunflower seeds in shape, allowed for area adjustment based on the features of the harvested cultivar's seeds. By comparing the hopper heap with an unequipped combine harvester, these enhancements allowed for a notable 38–42% weight reduction in superfluous material [52]. The chopper unit was made up of four bearings, three blade modules, a main shaft, three bevel gear mechanisms, and a main body. Harvesting sunflowers using a JOHN DEERE 1052 combine and RFS tools [50]. By doing the chopping concurrently with the harvesting process, a second operation was avoided, saving time, labour, and energy. In the field, the average height of the stalks was 15 cm, which was comparable to the average size of the material chopped during a standard second-passage chopping operation.  $1.00 \text{ l h}^{-1}$  was reported as the additional fuel consumption of the combine harvester because of the chopping unit [54].



Fig. 7. Flow chart of different machine's in castor cultivation

## 6. SOYBEAN

### 6.1 Field Preparation

When compared to soybeans planted on flatbeds and ridges and furrows, the net monetary return was noticeably higher when soybeans were sown in bunkers. A comparable pattern was noted in the (B:C) ratio. Complete mechanization significantly improved the B:C ratio. When compared to flat bed cultivation, the traditional method. Considering the increase in soybean yield, [62] also received comparable outcomes. Soybean yield increases when soil physical

qualities and soil microbial activity are improved by the land preparation system (Mould board one pass + Rotation one pass + Levelling) [63].

### 6.2 Sowing

After studying different sowing devices, H.L. Jia created a device that allowed airflow with a pad drum directly on the machine without the need for a ventilator. The device's diameter was 11 mm, and the work quality at a high operating speed of 12 km/h surpassed that of the previously used pneumatic planting device, which had a range of 24.4 mm and a slit number

of 13 [64,65] developed a horizontal sowing apparatus with an 11 mm diameter that allows airflow with a pad drum directly on the machine without a ventilator. The device outperformed the existing pneumatic planting device with a range of 24.4 mm and a slit number of 13 at high operating speeds. SChX-4, a mechanical seeding machine, is widely used in Uzbekistan [66]. The highest soybean yield (18.45% more) was achieved with complete mechanization, which was found to be significantly better than the other traditional methods. Furthermore, it is concluded that in-situ moisture conservation methods have been shown to be effective in

improving soil water availability and raising soybean yield [62].

### 6.3 Weed Management

The commercially available tools are designed to control weeds in between rows and plants in sown rows; the two most famous are the Garford Farm Machinery model Robo crop and the Einbock model Row-guard. In addition, harrowing before planting can also help to reduce the weeds in soybean [67]. Wheel hoeing twice at 20 and 40 Day After Sowing recorded the highest seed yield (9.07 q ha<sup>-1</sup>).



Fig. 8. Flow chart of different machine's in sunflower cultivation

## 6.4 Herbicide Applicator-Cum-Planter

The PREHAP, tractor-drawn equipment, consists of a sturdy frame equipped with a cat-II linkage. It also includes a tool bar, a herbicide solution tank, a single action piston pump, a pressure gauge, hose connections, a fertilizer box, six modular seed boxes with spray. Additionally, it features furrow openers and a ground wheel drive power system to efficiently operate the seed and fertiliser metering mechanisms [68].The granular fertilizer application on the main frame is

facilitated by a fluted roller type metering mechanism installed in the fertiliser box.

## 6.5 Fertilizers Management

A significant advancement in enhanced intercropping systems is the automated process of planting, fertilizing and harvesting [69]. An additional punji is fastened to the tractor-operated seed-cum-fertilizer drill machine's back tines in order to create the ridge and furrow system [70].



Fig. 9. Flow chart of different machine's in soybean cultivation



**Table 2. Farm machinery and operations used under various levels of mechanization in soybean crop**

List of implements / machineries used			
Operations	Complete mechanization	Partial mechanization	Traditional method of cultivation
Ploughing	MB plough tractor drawn	MB plough tractor drawn	Bullock-drawn plough Bullock drawn harrow.
Sowing	BBF planter for Seed drill (tractor drawn)	BBF planter for seed drill (tractor drawn)	Bullock drawn BBF- Bullock drawn seed drill
Spraying	Tractor drawn boom spray	Tractor drawn boom spray	Manual spray
Intercultural	Tractor drawn implement	Tractor drawn implement	Manual
Harvesting	Combine harvester	Harvesting manually and threshing	Manual harvesting and threshing

*Mould board (MB), Broad Bed Furrow (BBF)*

### 6.6 Intercultural Operations

This tractor-operated sweep seed drill was used to continually drill the soybean crop, ensuring row planting at a 45-centimeter row-to-row spacing and 70 kg of seed per hectare. One important factor taken into account when designing the sweep seed drill was tilling the ground in between crop rows without interfering with the simultaneous sowing of seeds [71].

### 6.7 Harvest

In order to effectively monitor mechanical soybean harvesting losses, a pair of Massey Ferguson combine harvesters, specifically the MF9790 model, was employed. These combine harvesters were equipped with an advanced axial flow threshing system, boasting an

impressive engine power rating of 261 kW (355hp). harvesting process was facilitated by a 10.7m(35 feet) power flex draper header and a 9.1 m (30 feet) screw conveyor(auger). Two distinct travel speeds were utilized:  $V_1$  at 6 km h<sup>-1</sup> and  $v_2$  8km h<sup>-1</sup> [72]. This finding supports the notion that draper headers exhibit superior harvesting quality compared to screw conveyors.

### 7. RAPESEED

Rapeseed (*Brassica napus*), also known as oilseed rape family Brassicaceae (mustard or cabbage family). In India total production of 12.64 million metric tons and area under cultivation of 9.2 million hectare during 2022-23 [79]. In this rapeseed crop multiple values for oil production, the world wide second oleaginous plant [82].

**Table 3. Mechanization in rapeseed crop**

S.NO	Operation	Machine	Reference
1.	Field Preparation	• John Deere 1206 tractor was accompanied by a SC-900 soil compaction meter, an MS-350 Combined with a GB/T 5668-2008 "Rotary Tiller," the rotation speed of the rotary tillage blade roller.	[81]
		• The 1LZ-5.4 combined land preparation machine and the 1ZML-210 subsoiling combined soil preparation machine.	
		• Blade for rotary tillage Rotating tillage blades, Roller Design T245 and T225	
2.	Sowing	• To open the furrow, the 2BFQ-6 type combined rapeseed seeder uses both the front and back plows.	[82]
3.	Weed management	• Rotary cultivator and sweep cultivator	[83]
3.	Fertilizer Application	• Pneumatic granular fertilizer spreaders (MPGFSS).	[84]

S.NO	Operation	Machine	Reference
		<ul style="list-style-type: none"> <li>• Application of fertilizer A Pro-Til 4T hybrid machine</li> </ul>	[85]
4.	Harvest	<ul style="list-style-type: none"> <li>• Lodging Management and Biomass and Lodging and Breakage Handling in impacts on mechanized combine harvester.</li> <li>• The kinematics and dynamics of the cutting platform in combine harvesters.</li> </ul>	[86] [87]




Fig.10. Flow chart of different machine's in rapeseed cultivation

## 8. CONCLUSION

Mechanization has a prime role as a force multiplier to compensate labour shortage and for carrying out the operation in time resulting in higher productivity. Mechanization serves the dual purpose of increasing productivity on the land that is already there and achieving higher land productivity by utilizing machinery as a complementary input. The shortage of labour in agriculture has been caused in recent years by a constant movement of rural residents toward the services sector in search of better working conditions, increased urbanization and village migration in search of better opportunities, the rise of rural entrepreneurs, etc. It's important to note that the degree of mechanization may vary based on factors such as the type of oil seed crop, the scale of farming operations, and local conditions. Additionally, farmers should consider sustainable practices and environmental impacts when adopting mechanization in oil seed crop production. A combination of various machines, technologies, and precision farming techniques are needed for full mechanization. Furthermore, the field of agricultural mechanization for oil seed crops is advanced through continuous research and development. For many large-scale, contemporary agricultural operations, the long-term advantages of greater productivity, decreased reliance on labour, and enhanced yield outweigh the initial cost of achieving total mechanization.

## DISCLAIMER (ARTIFICIAL INTELLIGENCE)

Author(s) hereby declare that NO generative AI technologies such as Large Language Models (ChatGPT, COPILOT, etc) and text-to-image generators have been used during writing or editing of manuscripts.

## COMPETING INTERESTS

Authors have declared that no competing interests exist.

## REFERENCES

1. Food and Agricultural organization of the united states nations; 2023-24. Available: <https://www.fao.org/faostat/en/#home>
2. Renpu B. Analysis of the trends of Agricultural mechanization development in China (2000-2020). ESCAP/CSAM Policy Brief, Issue. 2014;1(9).
3. Satishkumar M, Umesh KB. Farmers strategies to cope labour shortage in northern and southern dry zones of Karnataka, India. Current Agriculture Research Journal. 2018;6(2):206.
4. Larson DF, Bloodworth kL. Mechanization and the intersectoral migration of agricultural labor. In: Estudillo JP, Kijima Y., Sonobe T. (eds) Agricultural Development in Asia and Africa. Emerging-Economy State and International Policy Studies. Springer, Singapore; 2023. Available: [https://doi.org/10.1007/978-981-19-5542-6\\_20](https://doi.org/10.1007/978-981-19-5542-6_20)
5. UN (United Nations) World population prospects 2019—population dynamics. Department of Economic and Social Affairs, United Nations, New York, United Nations; 2022. Available: <https://population.un.org/wpp/Download/Standard/Population/>
6. Srinivas I, Mayande VM, Adake RV, Tyagaraj CR, Dange G, Vijayakumar S. Selective mechanization of castor crop in Andhra Pradesh to reduce the cost of cultivation: A case study. Indian Journal of Dryland Agricultural Research and Development. 2009;24(2):79-83.
7. Directorate of oilseeds development. <https://oilseeds.dac.gov.in/>. Doubling Farmers' Income Committee (DFIC) Press Release: Press Information Bureau (pib.gov.in)
8. Agricultural Statistics at a Glance 2022-23: <https://www.desagri.gov.in/wp-content/uploads/2023/05/Agricultural-Statistics-at-a-Glance-2022>: Directorate of Economics and Statistics, Department of Agriculture and Farmers Welfare, Government of India DES | Area, Production & Yield - Reports (desagri.gov.in).
9. Reddy KI, Ramanjaneyulu A, Kumar MN, Srinivas A. Economic benefit of complete mechanization of groundnut cultivation. Journal of Oilseeds Research. 2023;40(Specialissue).
10. Singh M, Chahar S, Avtar, R., Singh A, Kumar N. Advances in classical and molecular breeding in sesame (*Sesamum indicum L.*). Accelerated Plant Breeding. Oil Crops. 2022;4:491-529.
11. Gojiya D, Gohil V. Design and development of low cost sesame dehuller and its process standardization. Journal of Food Science and Technology. 2022;Nov59(11):4446-56.

- Available:<https://doi.org/10.1007/s13197-022-05524-y>
12. Gojiya D, Gohil V, Dabhi M, Dhamsaniya N. Assessment of water absorption characteristics for improved sesame (*Sesamum indicum* L.) varieties during hydration. Food Bioengineering. 2023. Available:<https://doi.org/10.1002/fbe2.12051>
  13. Rout K, Yadav BG, Yadava SK, Mukhopadhyay A, Gupta V, Pental D, Pradhan AK. QTL Landscape for oil content in *Brassica Juncea* analysis in multiple Bi-parental populations in high and "0" Erucic Background. Front. Plant Sci. 2018;9:1448. DOI:10.3389/fpls.2018.01448
  14. Bandhiya R, Gaadhe S, Chavda S, Gojiya K, Gojiya DK, Chavda D. Cultivation of sesame Crop in mechanized way; 2023. Available:<https://www.doi.org/10.56726/IRJ METS44115>
  15. Bandhiya RD, Vadher AL, Parmar NB, Mehta TD. Development and evaluation of manually operated seed drill For bajra crop, International Journal of Science, Environment and Technology. 2016;5(6):4630–4637. Available:<https://doi.org/10.13140/RG.2.2.32321.61288>
  16. Sharaby N, Butovchenko A. Cultivation technology of sesame seeds and its production in the world and in Egypt. In IOP Conference Series: Earth and Environmental Science. 2019;403(1):012093. IOP Publishing. DOI: 10.1088/1755-1315/403/1/012093
  17. Divya V, Velayudham K, Thavaprakash N, Daisy M. Growth, yield attributes, yield and economics of sesame (*Sesamum indicum* L.) As influenced by system of crop intensification (SCI) practices. APJAS. 2015;1(2):62-66.
  18. Bahnas OT. Requirements of sesame precision planting method; 2011.
  19. Sharma AR, Behera UK. Conservation tillage; 2008.
  20. Li Q, Wang J, Wu J, Zhai Q. The dual impacts of specialized agricultural services on pesticide application intensity: Evidence from China. Pest Management Science. 2023;79(1):76-87.
  21. Maslov GG, Rinas N, Yudina E, Malashikhin N. Technological and technical improvement of crop cultivation processes. International Transaction Journal of Engineering, Management and Applied Sciences and Technologies. 2020;11(8):11A8G.
  22. Georgiev S, Stamatov S, Deshev M. Requirements to sesame (*Sesamum indicum* L.) cultivars breeding for mechanized harvesting. Bulgarian Journal of Agricultural Science. 2008;14(6):616-620.
  23. Food and Agricultural organization of the united states nations; 2022-23. Available:<https://www.fao.org/faostat/en/#home>
  24. Shahid LA, Saeed MA, Amjad N. Present status and future prospects of mechanized production of oilseed crops in Pakistan-a review. Pakistan Journal of Agricultural Research. 2010;23:1-2.
  25. Arivazhagan M, Harisudan C, Baskaran R, Mohankumar AP, Kumar KB. Does groundnut mechanization improve the energy use efficiency and productivity of groundnut; 2023.
  26. Harisudan C, Subrahmaniyan K. Evaluation of irrigation levels and plant geometry for drip irrigation in groundnut (*Arachis hypogaea* L.) . J .Oilseeds Res. 2020;37(4):267-271.
  27. Zerbato C, Furlani CEA, Voltarelli MA, Bertonha RS, da Silva RP. Quality control to seeding systems and densities in peanut crop. Australian Journal of Crop Science. 2014;8(6):992-998.
  28. Yadav R, Pond S. Development and ergonomic evaluation of manual weeder. Agrl. Engineering International: CIGRE Journal; 2007;9, Manuscript PM 07 022.
  29. Chivinge OA. Weed science technological needs for the communal areas of Zimbabwe. Zambesia. 1990;17 (2):133-143.
  30. Govindaraj G, Mishra AP. Labour demand and labour-saving options: A case of groundnut crop in India. Agricultural Economics Research Review. 2011;24(conf):423-428.
  31. Reddy KM, Kumar DV, Reddy BR, Reddy B S. Mechanization of groundnut crop in Anantapur district of Andhra Pradesh. Journal of Pharmacognosy and Phytochemistry. 2020;9(1):1550-1553.
  32. Negrete JC. Strategies for technology transfer of agricultural mechanization in Mexico. The International Research Journal of Advances Agriculture. 2015;1(1).
  33. Pibars SK, Mansour HA. Effect of tillage management practices and humic acid



- applications on some engineering properties of peanut. Plant Archives.2019;19(Supplement 1):636-643.
34. Firouzi S, Alizadeh M. Evaluation of different weeding methods for groundnut in northern Iran. African Journal of Agricultural Research. 2012;7(8):1307-1311.
  35. Stone KC, Bauer PJ, Busscher WJ, Millen JA, Evans DE, Strickland EE. Variable-rate irrigation management for peanut in the eastern coastal plain. In 5th National Decennial Irrigation Conference Proceedings, Phoenix Convention Center, Phoenix, Arizona USA (p. 1). American Society of Agricultural and Biological Engineers. 2010; 5-8.
  36. Zaied B, MEI Naim A, Dahab H, S Mahgoub A. Development of powered groundnut harvester for small and medium holdings in North Kordo fan State in Western Sudan; 2014.
  37. Manikandan G, Shridar B, Jesudas D.M. Draft measurement of five tyne duck foot plough in clay soil. Journal of Applied and Natural Science. 2021;13(SI):73-79. Available:<https://doi.org/10.31018/jans.v13iSI.2780>
  38. Reddy YPK, Reddy BS, Reddy KMS, Krishna M, Prasad AD. Mechanization in castor-scope and opportunities in India. Scientist. 2022;1(3):5144-5154.
  39. Venkat R, Dharmendra P. Evaluation of mini tractor operated rotary weeder cum fertilizer drill. Agricultural Science & Green Energy e-Newsletter. 2020;1(3):37-44.
  40. Zhao H, Zhang C, Zhao H. Analysis on the research status and structure characteristics of castor harvester. In Proceedings of the 2019 IEEE International Conference on Mechatronics and Automation (ICMA). Tianjin. China. 2019;(4-7):415-420. DOI: 10.1109/ICMA.2019.881663.1
  41. Stefanoni W, Latterini F, Malkogiannidis V, Salpiggidis V, Alexopoulou E, Pari L. Mechanical harvesting of castor bean (*Ricinus communis* L.) with a combine harvester equipped with two different headers: A comparison of working performance. Energies. 2022;15:2999. Available:<https://doi.org/10.3390/en15092999>
  42. Naik AK, Hanumanthappa M, Vinod VR, Shankar M. Enhancing castor productivity through selective mechanization. Advances in Life Sciences. 2016a;5(22):10-416.
  43. Razzazi A, Agha Alikhani M, Ghobadian B, Zand B, Safieddin M. A case study of energy balance and economic analysis of castor cultivation in Iran. Journal of Advanced Agricultural Technologies. 2017;4(3).
  44. Kumar N, Pawar N, Bishnoi DK, Bhatia J, Kumar R. Energy usage and benefit-cost analysis of castor production in haryana. Economic Affairs. 2019;64(4):789-794.
  45. Wicks GA, Burnside OC, Felton W L. Mechanical weed management. In Handbook of weed management systems.2017;51-99:Routledge.
  46. Pari L, Suardi A, Stefanoni W, Latterini F, Palmieri N. Environmental and economic assessment of castor oil supply chain: A case study. Sustainability. 2020;12(16):6339.
  47. Ramanjaneyulu AV, Neelima TL, Ramana MV, Kumar MV, Suresh G, Madhavi A, Reddy D. Selective mechanization improves productivity, energy indices and profitability of rainfed castor (*Ricinus communis*) in India. Indian Journal of Agronomy. 2021;66(2):223-228.
  48. Tudorache D, Sarbu LL. World promotion of organic farming. Scientific papers series management, economic engineering in agriculture and rural development. 2013;13(4):291-294.
  49. Kheiralla AF, Yahya A, Zohadie M, Ishak W. Modeling of power and energy requirements for tillage implements operating in Serdang sandy clay loam, Malaysia. Soil Tillage Res. 2004;8: 21-34.
  50. Copcea AD, Mateoc-Sirb N, Mihut C, Ilera R, Ramona S, Scedei TEE, Nita LD. Technology of Mechanization in sunflower under the conditions of IP.Salaj Country Romania. Technology. 2020;20(1).
  51. Khizhnyak VI, Shchirov VV, Nesmiyan AY, Avramenko FV, Kochergin AS. Evaluation of the efficiency of row-crop seeders using vacuum and extrabaric seed metering methods. In IOP Conference Series: Earth and Environmental Science. 2021;659(1):012045. IOP Publishing. DOI: 10.1088/1755-1315/659/1/012045
  52. Startsev AS, Demin EE, Danilin AV, Vasilyev OA, Terentyev AG. Results of the production test of sunflower harvesting attachment with an auger reel. IOP Conf. Ser. Earth Environ. Sci. 2020;433:012006. DOI: 10.1088/1755-1315/433/1/012006

53. Chaplygin M, Bepalova O, Podzorova M. Results of tests of devices for sunflower harvesting in economic conditions. E3S Web Conf. 2019;126:00063. Available:<https://doi.org/10.1051/e3sconf/201912600063>
54. Dalmis IS, Kayisoglu B, Bayhan Y, Ulger P, Toruk F, Durgut F. Development of a chopper unit for chopping of sunflower stalk during harvesting by combine harvester. Bulg. J. Agric. Sci. 19.2013;1148–1154.
55. Mekky MS, Moshtohry MR, Daie MFA. The effect of seedbed preparation, intercropping and weed control treatments on sunflower productivity and associated weeds. Journal of Plant Production. 2007;32(7):5101-5115.
56. Celik A, Ozturk I, Way TR. Effects of various planters on emergence and seed distribution uniformity of sunflower. Applied Engineering in Agriculture. 2007;23(1):57-61.
57. Tretiakova T. Large-drop application of liquid complex mineral fertilizer uan (urea-ammonium mixture) in winter wheat crops in eastern Ukraine. Collection of scientific papers Scientia. 30,2022; Pisa, Italia:38-41.
58. Pannacci E, Tei F. Effects of mechanical and chemical methods on weed control, weed seed rain and crop yield in maize, sunflower and soyabean. Crop Protection. 2014;64:51-59.
59. Lamm FR, Aiken RM, Aboukheira AA. Irrigation research with sunflowers in Kansas; 2011.
60. Wang S, Xu T, Li X. Development status and perspectives of crop protection machinery and techniques for vegetables. Horticulturae. 2022;8(2):166.
61. Shaforostov VD, Makarov SS. The header for a breeding plot combine for sunflower harvesting. Acta Technologica Agriculturae. 2019;22(2):60-63.
62. Khambalkar VP, Karale DS, Kankal US. Evaluation of self propelled pneumatic planter for rain fed crops; 2014.
63. Attafy TM, EL Metwally WF, Okasha AM. Effect of sprinkler irrigation and land preparation systems on soybean crop production in clayey soil. Misr Journal of Agricultural Engineering. 2017;34(1):157-180.
64. Jia H. Design and experiment of pneumatic-mechanical combined precision metering device for soybean transactions of the chinese society for agricultural machinery. 2018;49:75– 86.
65. Jia H, Guo Zhao M, Huang J, Zhuang D, Qi, J. Design and test of bionic wide-ridge soybean tilling - sowing machine. International Journal of Agricultural and Biological Engineering. 2019;12(1): 42-51. DOI: 10.25165/j.ijabe.20191201.4014
66. Astanakulov K. Adaptation mechanic sowing apparatus for sowing soybean seeds with less damaging. In IOP Conference Series: Materials Science and Engineering. 2020;883(1):012137. DOI: 10.1088/1757-899X/883/1/012137
67. Gesimba RM, Langat MC. A review on weeds and weed control in oil crops with special reference to soybeans (*Glycine max L.*) in Kenya. Agricultura Tropical ET Subtropica. 2005;38:56-61.
68. Potdar RR, Tiwari PS, Singh D, Kumar M, Roul AK, Jyoti B, Chethan CR. Development and performance evaluation of herbicide applicator-cum-planter to manage weeds in soybean; 2023. Available:<http://dx.doi.org/10.5958/0974-8164.2023.00031.X>
69. Xue Y, Xia H, Christie P, Zhang Z, Li L, Tang C. Crop acquisition of phosphorus, iron and zinc from soil in cereal/legume intercropping systems: A critical review. Annals of Botany. 2016; 117(3):363-377. Available:<https://doi.org/10.1093/aob/mcv182>
70. Basediya AL, Mishra S, Gupta R, Kumar P, Basediya S. Performance of ridge and furrow system on the growth and yield attribution of soybean in Barwani District of MP India. Int. J. Curr. Microbiol. App. Sci. 2018;7(08):499-505.
71. Devvrat S, Ramteke R, Vyas AK, Khan IR. Sweep seed drill for intercropping operation along with sowing of soybean (*Glycine max*) crop; 2012.
72. Menezes PCD, Silva RPD, Carneiro FM, Girio LADS, Oliveira MFD, Voltarelli MA. Can combine headers and travel speeds affect the quality of soybean harvesting operations. *Revista brasileira de engenharia Agricola e ambiental.* 2018;22:732-738. Available:<https://doi.org/10.1590/1807-1929/agriambi.v22n10p732-738>
73. Dhakad SS, Khedkar NS. Influence of seed-cum-fertilizer drill machine on the growth characters and yield of soybean (*Glycine max L.*) at farmer's fields; 2014.

74. Wang D, Shannon MC, Grieve C M, Yates SR. Soil water and temperature regimes in drip and sprinkler irrigation, and implications to soybean emergence. *Agricultural Water Management*. 2000;43(1):15-28.
75. Place GT, Reberg-Horton SC, Burton MG. Effects of preplant and postplant rotary hoe use on weed control, soybean pod position, and soybean yield. *Weed Science*. 2009;57(3):290-295.
76. Varshney AC, NARANG S. Development of power tiller-operated soybean (*Glycine max*) harvester. *The Indian Journal of Agricultural Sciences*. 2001;71(11).
77. Sachin KS, Dass A, Dhar S, Rajanna GA, Singh T, Sudhishri S, Devi AD. Sensor-based precision nutrient and irrigation management enhances the physiological performance, water productivity, and yield of soybean under system of crop intensification. *Frontiers in Plant Science*. 2023;14:1282217.
78. Mesquita CM, Hanna MA, Costa NP. Self-propelled prototype soybean harvester. *Transactions of the ASAE*. 2005;48(4):1301-1310.
79. Ministry of Agriculture & Farmers Welfare; 2022-23: Press Release: Press Information Bureau (pib.gov.in).
80. Friedt W, Tu J, Fu T. Academic and economic importance of *Brassica napus* rapeseed. In: Liu S, Snowdon R, Chalhoub B. (eds) *The Brassica napus genome*, *Compendium of Plant Genomes*, Springer. Cham. 2018;1-20.
81. Jiang L, Tang Q, Wu J, Yu W, Zhang M, Jiang D, Wei D. Design and test of seedbed preparation machine before transplanting of rapeseed combined transplanter. *Agriculture*. 2022;12(9):1427. Available:<https://doi.org/10.3390/agriculture12091427>
82. Chen H, Gao L, Li M, Liao Y, Liao Q. Effect of soil surface roughness on emergence rate and yield of mechanized direct-seeded rapeseed based on 3D laser scanning. *International Journal of Agricultural and Biological Engineering*. 2023;16(3):110-119. DOI: 10.25165/ijabe.20231603.7276
83. Naderi R, Bijanzadeh E. Chemical, mechanical and integrated weed management under two phosphorous fertilizer application methods in rapeseed. *Archives of Agronomy and Soil Science*. 2015;61(4):543-551. Available:<https://doi.org/10.1080/03650340.2014.941287>
84. Wang X, Jiang R, Zhou Z, Song C, Luo X, Bao R, Lin J. Discharge rate consistency of each channel for UAV-based pneumatic granular fertilizer spreader. *International Journal of Agricultural and Biological Engineering*. 2023;16(4):20-28.
85. Jaskulska I, Jaskulski D. Strip-till one-pass technology in central and eastern Europe. A MZURI pro-til hybrid machine case study. *Agronomy*. 2020;10(7): 925. DOI: 10.3390/agronomy10070925
86. Qing Y, Li Y, Xu L, Ma Z. Screen oilseed rape (*Brassica napus*) suitable for low-loss mechanized harvesting. *Agriculture*. 2021;11(6):504. Available:<https://doi.org/10.3390/agriculture11060504>
87. Tang Z, Li Y, Cheng C. Development of multi-functional combine harvester with grain harvesting and straw baling. *Spanish Journal of Agricultural Research*. 2017;15(1):e0202-e0202. Available:<https://doi.org/10.5424/sjar/2017151-10175>
88. Lupova EI, Vysotskaya EA. The influence of tillage methods on the yield of oilseeds of the Brassicaceae family. In *IOP Conference Series: Earth and Environmental Science*. 2022;996(1):012028. IOP Publishing.
89. Ahmadi E, Ghassemzadeh HR, Moghaddam M, Kim KU. Development of a precision seed drill for oilseed rape. *Turkish Journal of Agriculture and Forestry*. 2008;32(5):451-458.
90. Kumar DS, Sharma R, Brar AS. Optimising drip irrigation and fertigation schedules for higher crop and water productivity of oilseed rape (*Brassica napus L.*). *Irrigation Science*. 2021;1-14.
91. Matin MA, Hossain MI, Gathala MK, Timsina J, Krupnik TJ. Optimal design and setting of rotary strip-tiller blades to intensify dry season cropping in Asian wet clay soil conditions. *Soil and Tillage Research*. 2021;207:104854.
92. Doughty KJ, Hick AJ, Pye BJ, Smart LE. Effect of field applications of isothiocyanate precursors on pests and diseases of oilseed rape. In *Proceedings 8th International Rapeseed Conference*, Saskatoon Canada. 1991;9-11 July .
93. Raseetha S, Aida FMNA, Chompoorat P, Murtini ES, Fuggate P, Roslan NF A, Nur-Diana SA. Disintegration with considerable

changes in form:cutting/dicing, crushing  
and grinding, shredding, sheeting, and  
pulping. In Postharvest and

Postmortem Processing of Raw Food  
Materials. 2022;181-240. Woodhead  
Publishing.

**Disclaimer/Publisher's Note:** The statements, opinions and data contained in all publications are solely those of the individual author(s) and contributor(s) and not of the publisher and/or the editor(s). This publisher and/or the editor(s) disclaim responsibility for any injury to people or property resulting from any ideas, methods, instructions or products referred to in the content.

© Copyright (2024): Author(s). The licensee is the journal publisher. This is an Open Access article distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/4.0>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

*Peer-review history:*

*The peer review history for this paper can be accessed here:*

<https://www.sdiarticle5.com/review-history/120866>